City of SeaTac PRELIMINARY SHORT PLAT

DEFINITION AND PURPOSE:

A short subdivision (short plat) is the division of one contiguous parcel into four (4) or fewer lots.

The purpose of a short plat is to divide land according to minimum standards in order to promote and protect the physical well being of the City of SeaTac. This includes insuring adequate circulation patterns, and insuring adequate light and air. It also means providing for adequate utility improvements such as a distribution system for water, a sanitation system for safe waste disposal, and storm drainage system to protect flooding and erosion.

CONDITIONS FOR APPROVAL:

The **applicant** must show that the proposed use satisfies the following criteria for approval.

- 1. The proposed lots must conform to the Comprehensive Plan and Zoning Ordinance criteria.
- 2. The proposed lots are served with adequate means of access for vehicles, utilities, fire protection, drainage, water supply and means of sanitary sewage disposal.
- 3. The public use and interest will be served by permitting the proposed division of land.
- 4. A survey and legal description of the proposed lots are completed by a registered land surveyor and submitted to the City.
- 5. No existing building or structure is made sub-standard or non-conforming in any respect.

SUBMITTAL:

1. FILING FEE:

Short Subdivision (Preliminary): \$800.00
Engineering Plan Review: \$500.00
Supplemental Drainage Review: \$195.00
TOTAL: \$1,495.00

Revision to Approved Preliminary:

Subdivision \$250.00

Engineering Plan Review: \$625.00 + \$14.00 per lot(Two or more simultaneous applications for short plats on same plan)

Revision to Approved Preliminary

Subdivision \$ 139.00

Plus Per Hour: Standard hourly rate

FINAL SHORT PLAT FEE: \$1,000.00

PRIVATE STREET SIGN: 125.00 (If applicable)

(This shall be submitted with the final short plat fee)

\$1,125.00

2. Please submit all of the items listed on the attached checklist.

Failure to submit all requested items (in a legible form) will delay processing of your application pursuant to RCW 36.70A.440.

PROCEDURE:

- 1. Prior to submitting your short plat application, you will need to review your proposed short plat with the City's "Development Review Committee" (DRC). *No Application will be accepted prior to review by the DRC*. Please contact the Building Division Permit Specialist to schedule a time for the DRC meeting (Phone 973-4750).
- 2. You will receive a "Determination of Completeness" (DOC) within 28 days of the submittal of your application stating whether your application is complete or not complete. Once you receive the DOC stating that your application is complete, the City has 120 days to make a decision regarding your application.
- 3. A "Notice of Application" (NOA) will be published and sent to adjacent property owners. The NOA will be issued within 14 days after a DOC is made. You will be required to post a "Notice Board" (see attached example) on the property in conformance with Section 16.07.010B of the SeaTac Municipal Code Volume II (SMCVII). An "Affidavit of Installation" shall be submitted to the City that the "Notice Board" has been installed on the property. The "Notice Board" shall be installed on the property on or before the date the NOA is published in the paper.
- 4. A "Notice of Decision" (NOD) will be sent to the applicant/property owner and to all parties of record.
- 5. The decision on a short plat may be appealed to the Hearing Examiner 10 calendar days of the issuance of such decision with a filing fee to the City Clerk.
- 6. Should the short plat be appealed, a date will be set for a public hearing before the Hearing Examiner, and you will be notified. You will be sent a copy of the staff recommendation at least two (2) weeks prior to the hearing.
- 7. The Hearing Examiner's decision is final unless appealed in writing to the Superior Court of King County within 30 days of the written findings and conclusions of the Examiner.
- 8. A preliminary short plat must be recorded within three (3) years from the date of approval.

PRELIMINARY SHORT SHORT PLAT APPLICATION

Name:	Phone:
Mailing Address:	
Property Address:	
Phone:	Fax:
Email:	Alt. Phone:
	ACT PERSON (THE PERSON WHO WILL RECEIVED DRRESPONDENCE FROM THE CITY).
Name:	Phone:
Mailing Address:	
City and Zip Code:	
Phone:	Fax:
Email:	Alt. Phone:
CHDVEVAD.	
SURVEYOR:	Phone:
Name:	
Name:Mailing Address:	
Name:Mailing Address:	

5. PROPERTY

Zone:	Current Size (S	Sq.Ft.)	
Proposed Size (Sq. Ft.): Lot 1:	Lot 2:		
Lot 3:	Lot 4:		
Source of Water:			
Sewage Disposal:			
Statement of existing drainage condition	ons of site:		
Statement of soils type and condition:_			
		-	
		-	
I CERTIFY THAT THE INFORM APPLICATION IS TRUE AND COI	MATION FURNISH	HED BY ME AS PART OF	THIS
Property Owner (Please Print Name	after Signature)	Date	
Property Owner (Please Print Name	after Signature)	Date	

This certificate provides the Department of Planning and Community Development with information necessary to evaluate development proposals.

City of SeaTac/Planning Dept. 4800 South 188th Street SeaTac, WA 98188

CERTIFICATE OF WATER AVAILABILITY File No.

PART	A: (TO BE COMPLETED BY APPLICANT)
1.	Owner Name/Address/Phone:
	Agent or Contact Person/Name/Phone:
	Site Address (Attach map and legal description):
2.	This certificate is submitted as part of an application for:
	Residential Building PermitPreliminary PlatShort Subdivision
	Commercial/Industrial Bldg. PermitRezoneOther:
3.	Estimated number of service connections and meter size(s):
4.	Vehicular distance from nearest hydrant to the rear of the furthest structure:ft.
5.	Minimum needs of development for fire flows: gpm at a residual pressure of 20 ps
	Source of minimum flow requirement:
	Fire MarshalDeveloper's EngineerCity
	Insurance UnderwriterUtilityOther:
1.	Area is served by:(Utility)
	Owner/Agent's Signature: Date:

PART B: (TO BE COMPLETED BY WATER UTILITY)

1.	The proposed project is le	ocated within					
		(City/County)				
2.	Improvements required to the utilities comprehensic connection:	ve plan or to meet	the minimum fl	ow requir	rements of		
3.	Based upon the improver with a residual pressure o velocity offps	fpsi at	gp:	m for a d			
I hereb	by certify that the above in	formation is true and	correct.				
Agency	/Phone	Ву	Dat	te			
PART	C: (TO BE COMPLE	ETED BY GOVERNII	NG JURISDICTIO	ON)			
1.	Water Availability – Che	ck one					
	Acceptable service of	can be provided to thi	s project.				
	Acceptable service improvements listed in its		provided to	this	project	unless	the
	System isn't capable	of providing service	to this project.				
2.	Minimum water system i	mprovements: (At le	ast equal to #B2	above)			_
							_ _ _
							_
Agency	/Phone	By		Date			

This certificate provides the Department of Planning and Community Development with information necessary to evaluate development proposals.

City of SeaTac/Planning Dept. 4800 South 188th Street SeaTac, WA 98188-8605

CERTIFICATE OF SEWER AVAILABILITY File No.____

Bı	uilding PermitShort SubdivisionPreliminary Plat or PUDRezone or other
APPL	ICANTS NAME:
PROP	POSED USE:
LOCA	ATION:
	(Attach map & legal description if necessary)
1. SEV a. OR b.	WER PURVEYOR INFORMATION Sewer Service will be provided by service connection only to an existing sewer main Sewer Service will require an improvement to the sewer system of :
	(1) feet of sewer trunk or lateral to reach the site; and/or (2) the construction of a collection system on the site; and/or (3) other (describe)
2. a.	The sewer system Improvement is in conformance with the County approved sewer comprehensive plan
OR b. c.	The sewer system improvements will require a sewer comprehensive amendment. The proposed project is within the corporate limits of the district, or has been granted Boundary Review Board (BRB) approval for extension of service outside the district or city. Review Board (BRB) approval for extension of service outside the district or city.
OR a.	Annexation or BRB approval will be necessary to provide service.
b.	Service is subject to the following: (1) Connection Charge:
	(2) Fasement(s):

City of SeaTac Preliminary Short Plat Revised 02/10/03			
(3) Other:			
I hereby certify that the above sewer purve the date of signature.	eyor information is true. This certification	on shall be valid for one year f	îrom
Agency Name	Signatory Name		
Title	Signature	Date	

City of SeaTac Fire Services Requirements Short Plats


The following conditions are required by the Fire Department for Short Plats (4 lots or less). *Effective January*, 2003, requirements may change without notice; please call the Fire Prevention Bureau at 206-973-4500 to confirm and/or for specific requirements relative to short plats.


1. ACCESS ROADS

- a. WIDTH: The unobstructed width of the roadway shall not be less than 20 feet.
- b. VERTICAL CLEARANCE: The unobstructed overhead clearance shall not be less than 13 feet 6 inches.
- c. SURFACE: The surface must be an all-weather material (e.g., pavement or concrete) capable of supporting the imposed loads of fire apparatus.
- d. TURNS: The minimum turning radius shall be 20 feet inside and 40 feet outside.
- e. TURNAROUNDS: All dead-end access roads between 150 and 300 feet in length shall have a minimum 35-foot hammerhead turnaround or a minimum 80-foot diameter cul-de-sac. Dead-end access roads over 300 feet in length must have a cul-de-sac.
- f. GRADE: The access road shall have a maximum grade of fifteen percent and maximum grade breaks of eight percent with smooth curves at grade transitions.
- g. SIGNS: All hammerhead turnarounds shall be posted NO PARKING-FIRE LANE. When required, the access road shall be posted in accord with SMC Chapter 13.16.
- h. BRIDGES: Bridges shall be designed by a licensed professional engineer and constructed by a qualified contractor under the supervision of the design engineer or other qualified professional engineer.

2. FIRE FLOW

- a. All lots must have a fire hydrant located within 350 feet actual vehicular travel distance.
- b. All fire hydrants meeting condition 2(a) above must flow a minimum of 1,000 GPM at 20 psi residual pressure. A certificate of water availability from the local water purveyor shall be provided.
- 3. The Fire Chief may grant a variance and may accept alternate materials and/or methods if there is no reasonable way to meet any of the above requirements.





PLANNING & PUBLIC WORKS PRELIMINARY SHORT PLAT APPLICATION CHECKLIST

Prelin	ninary Short Plat Name:	r	Date:
determ 36.700 provide inform issued Please not be have	nine that it is "complete" or "in B.090. Additional information may led for your benefit and to aid the nation necessary to review your ap within 28 days of acceptance statire do not turn in your application until accepted or acted upon unless of accepted."	materials that must be submitted to recomplete" as provided under RCW be required after review of your procession. A "Determination of Compage whether your application is completed all items listed below have been checked the complete. Also this application will application at 206-973-4830.	7 36.70B.060 and RCW roposal. This checklist is on contains the minimum pleteness" (DOC) will be te or incomplete (DOIC) cked off. Submittals will not be accepted, if you
RET	URN THIS CHECKLIST W	TH YOUR APPLICATION	
For O	fice Use Only		
Date	Submitted:	Date of Pre -App Meeting:	
PREI	IMINARY SHORT PLAT APPLIC	TATION SUBMITTAL REQUIREME	
			Applicant Staff
1.	Five (5) copies of all documents (App Certificates and paper copies of the		
2.	One paper reduction of each oversized sheet to a 8 1/2" x 11" size.	l short plat	
3.	County assessor's map/s showing a 10 around the edges of the subject proper		
4.		feet of the subject property, cent to a State Highway	ac WA. 98188-8605.

		<u>Applicant</u>	<u>Staff</u>
5.	One photocopy, or printout, of <u>property owner's</u> names and addresses. Please make an 81/2" x 11" copy of the address-labels before placing on the envelopes.		
6.	The original receipts for the cost of the stamps, envelopes, and parcel labels needed for notification with a breakdown of the number of property owners between 0 and 500 feet and between 500 and 1000 feet. The City will reimburse the applicant/property owner for the cost of notifying all property owners between 500 and 1000 feet.		
7.	One completed original Application Form, four (4) copies submitted and folded to 81/2 inches by 12 inches.		
8.	DRC Department comment sheets, five (5) copies submitted.		
9.	If you are given an <i>Environmental Checklist</i> , all questions are to be answered and the checklist is signed. (Original and 4 copies)		
10.	<i>Title report (dated within last 90 days)</i> , including all easements and deed restrictions (5 copies) (RCW 58.17.165)		
11.	A letter of service availability from the existing Water District purveyor. (Original and 4 copies)		
12.	A letter of service availability from the existing Sewer District purveyor. (Original and 4 copies)		
13.	If no public sewer is available, submit a letter of pre-approval from the King County Health Department with supporting documentation. (Original and 4 copies)		
14.	Preliminary Short Plat fee paid.		

PLANNING & PUBLIC WORKS PRELIMINARY SHORT PLAT CHECKLIST

(PRELIMINARY SHORT PLAT DRAWING SUBMITTAL)

Preliminary Short Plat Drawing Required Content:

		<u>Applicant</u>	<u>Staff</u>
1.	Preliminary Short Plat drawing prepared <u>and stamped</u> by a professional Land Surveyor registered in the State of Washington (5 paper copies) (RCW 58.17.250)		
2.	Shall be drawn on 24" x 36" OR 18" x 24" sheet with a two (2") inch margin on the left edge and one-half inch margin on other edges, (delete if pre-approved by the City prior to submittal of the mylar drawing) drawn to an appropriate (20, 30, 40, or 50:1) engineering scale. (RCW 58.09.050)		
3.	The Short Plat Title Block has the names and the addresses of the developer and the licensed Land Surveyor who prepared the preliminary plat.		
4. 5.	North point, graphic scale and date of drawing Existing off-site subdivision lots, blocks, streets and easements shown as dotted lines		
6.	Proposed lot lines shown as solid lines and all proposed and existing easements shown in dashed lines.		
7.	Show the location, bearings and distances of existing and proposed property lines; and existing section lines in feet and decimals of a foot.		
8.	Show streets, building structures, water courses, and bridges.		
9.	Show any recorded public or private utility and drainage easements, both on the land to be subdivided and on the adjoining lands (land that abuts the proposed subdivision), to a distance of twenty-five (25) feet from the edge of the subject property division (include recording number)		
10.	Show the location of existing trees (over 8" in diameter), both on the land to be subdivided and on the adjoining lands (land that abuts the proposed subdivision), to a distance of twenty-five (25) feet from the edge of the subject property;		
11.	Contours and elevations at five (5) foot intervals for slopes under five (5%) percent; and for slopes over five percent, two (2) foot intervals shall be shown to accurately predict drainage characteristics of the property. Contour lines shall be extended one hundred (100) feet beyond the boundaries of the proposed plat, where significant changes in elevations are present.		

		Applicant	Staff
12.	Identify and show location of any existing and/or abandoned well(s) on the property.		
13.	Show location of existing, or proposed, rockeries and other types of walls within 25 feet of the property line.		
14.	Give the location and identification of any visible physical appurtenances such as fences, or structures. which may indicate encroachment, lines of possession, or conflict of title.		
15.	Source and date of contour data referenced on drawing.		
16.	Indicate the acreage of the land to be subdivided, the number of lots, and the area (sq. ft.) of each individual lot.		
17.	Indicate the bearings and dimensions of each lot line.		
18.	Bearings, angles, or azimuths shown in degrees, minutes, and seconds.		
19.	Radius, delta, arc length and long chord bearing and distance of curves shown.		
20.	The location, width and names of existing abutting streets, or easements shown.		
21.	Names and addresses of adjacent property owners on the records of the County Assessor's Office.		
Prelii	minary Short Plat Map Text Required Content:		
22.	Legal description <u>and tax lot number</u> of the property to be subdivided, certified by a Professional Land Surveyor registered in the State of Washington.		
23.	The legal description of each lot of the property to be subdivided.		
24.	Dedication statement with signature lines and Notary Block with minimum text size of 0.08 inches and line widths not less than 0.008 inches (vicinity maps, seals and certificates are excluded).		
25.	The date of segregation.		
26.	Indicate basis of bearing shown.		
Prelii	minary Short Plat Other Information Required:		
27.	A statement of the soil type, drainage conditions, present landscaping (describe any natural or man made land cover) submitted.		

City of SeaTac Preliminary Short Plat Revised 02/10/03	<u>Applicant</u>	<u>Staff</u>
28. A statement about wildlife present on the property and any other environmental factors which may be prescribed by the Planning Director submitted.		

Wg. Supt. of Records	PRINCIPLE PRINCI	RECORDER'S CERTIFICATE	Styrchurs of Peters Public Dates Dates Dates Dates Dates Dates Dates Being et Styrcholder Dates Strip Condition of Styrcholder Dates	speed INE employment and approximated it I to the (ring/har) has and other part and other part and proposed in the entirement, the entirement,	Nome State of Reprinting Actions County of Name as Natural patients that	where paid is the the graphic engressicition of the short backfedure and beautiful paid in the the graphic engressicities and it is publicate them as it feels about the control beautiful paid and the paid to the seement and the paid to the paid t	DEDICATION DEDICATION DIGHT BY THESE PRESENTS that was the undersigned sowers of interest in the first found about that	PROJECT NAME FINAL SHORT PLAT FILE NO.: SUB
Certificate Ne.	requirements of the appropriate State and County Statute and Ordinance in	LAND SURVEYOR'S CERTIFICATE This Short Plot correctly represents a survey mode by mes or under my direction in conformance with the		QUARTER SECTION VICINITY MAP	G: \GROUP\ENGR\C			MILLA DEAETONNE
		NAME & ADDRESS			G:\GROUP\ENGR\CADD\STANDARD DRAWINGS\SUBDIVISION\NEW SP EXAMPLE.dwg	DOCUMENT IS AVAILABLE IN ELECTRONIC FORM	Deputy Assessor Assisted Bardey	DEPARTMENT OF ASSESSMENTS Combet out accreed this
CHI	AB 'see,0				ON\NEW SP EXAN	ECTRONIC YOUR DIS	PORTION OF	RECORDING NO.
CHKD, BY	AB	PR			APLE.dwg	SC FOR	1/4 of1	7
SCALE	Bive	ADDRESS				Z	1/4, S T.	VOL./PAGE
Secti	.00 NO.		VOL./PAGE				R	AGE

<u>INSTRUCTIONS FOR OBTAINING ADDRESS LABELS</u> (For your convenience, there are two locations to choose from)

OBTAINING LABELS FROM CITY OF SEATAC

To obtain address labels containing the names and addresses of property owners within 500 or 1000 feet of any boundary of the subject property, the applicant must complete a City of SeaTac Address Labels Request Form (*attached*) and submit it to the Planning Department.

Labels can be picked up at the Planning Department approximately two days after submission of the Request Form.

In accordance with City of SeaTac Resolution No. 00-007, dated April 25th, 2000, GIS Program Fees shall apply. Computer-generated sheets of address labels will be provided to the requestor at a cost of \$.60 per label, with a \$25.00 minimum order charge.

Reminder:

Envelopes and postage shall be provided by the applicant. A copy of the labels should be made before individually placing them on stamped legal sized envelopes (9 ½" x 4 ½") with the City's return address. (NO METERED MAIL)

<u>OR</u>

OBTAINING LABELS FROM KING COUNTY:

To obtain address labels containing the names and addresses of property owners within 500 to 1000 feet of any boundary of the subject property, the applicant must take the following steps.

- At the King County Administration Building at 4th and James in Seattle (7th Floor), obtain a copy of the King County assessor's map. Make a list of the tax lot account numbers for each property within 1000' found on the Assessor's map.
- 2. At the King County Tax Assessor's Office, Room 700A (Real Estate Tax Division Phone 296-7300), order a computer list or address labels containing all property owner's names and addresses. (Make a copy of the labels before placing on envelopes.)
- 3. Sign an agreement at the Real Estate Tax Division Office stating that the applicant will not use the addresses for commercial purposes.

- 4. Address labels, which are ordered at the Tax Assessor's Office, can be picked up at the King County Computer & Communication Services Division (CCS), Gateway Tower, 700 Fifth Avenue, Suite 2300, Seattle, Washington approximately two days later (Phone 296-0694). Printing of labels is done only on Monday, Wednesday and Friday nights. Minimum order charge is \$25.00 plus tax.
- 5. Submit to the Department of Community Development a full size copy of the King County Assessor's map and highlight the subject property showing a 1000' radius from the outside boundaries of the site.

NOTE: SOME OF THE ITEMS REQUIRED ABOVE MAY BE OBTAINED FROM A TITLE COMPANY.

Reminder:

Envelopes and postage shall be provided by the applicant. A copy of the labels should be made before individually placing them on stamped legal sized envelopes (9 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ ") with the City's return address. (*NO METERED MAIL*)

City of SeaTac Address Labels Request Form

Date of Request	Date Needed							
Applicant's Name_								
Street Address								
City	State Zip							
Phone	FAX							
E-mail Address								
Project Name								
Project Address								
FILE NUMBER								
PARCEL NUMBER								
For internal use only:								
Date completed:	Completed by:							
Cost: \$	Date paid:							
	GIS PRODUCTS AND SERVICES – 001.341.80.00.000							

NOTICE BOARD DIMENSIONAL REQUIREMENTS

The notice board shall be four feet (4') by five feet (5') and shall have a sky blue background with white lettering. Lettering size shall be the following (the illustration below is an example. The type of action, dates, and all pertinent information will be supplied by the City):

- a. Helvetica or similar standard type face;
- b. Three inch (3") capital letters for the title;
- c. Two inch (2") capital letters for all other letter

5 FT



NOTICE OF PROPOSED LAND USE ACTION


TYPE OF ACTION: SHORT PLAT FILE NUMBER: SUB01-00001 COMMENT DEADLINE: JUNE 1, 2001

FOR MORE INFORMATION CITY OF SEATAC 4800 South 188th Street (206) 973-4830

PUBLIC NOTICE 8 ½" x 11" (Laminated by Applicant) COPIES OF PUBLIC NOTICE IN REAL ESTATE BOX

VICINITY MAP (Laminated by Applicant)

NOTICE BOARD INSTALLATION REQUIREMENTS (MINIMUM)



CITY OF SEATAC

AFFIDAVIT OF INSTALLATION/REMOVAL

Fil	le No:
STATE OF WASHINGTON)) s COUNTY OF KING)	SS.
property owner or authorized representati	eing first duly sworn upon oath, depose and say: That I am the ive of the property owner/s, and I have installed the Notice Board 6.07.010B.1. on or adjacent to the site on or prior to the ation" in the Seattle Times.
expiration of the appeal period outlined in Board is not removed according to the ab	ice Board must be removed within fourteen days of the n the "Notice of Decision" issued by the City. If the Notice over requirement, I hereby give my permission for the City of erty, remove the sign, and dispose of it at their discretion.
Property Owner/Authorized Representati	ve
SUBSCRIBED AND SWORN TO befor	re me on,
	NOTARY PUBLIC in and for State of Washington My Commission Expires: